

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Product name** : Rakoll® 5125**1.2 Relevant identified uses of the substance or mixture and uses advised against**Use of the Sub-
stance/Mixture : Hot melt moisture cure adhesiveRecommended restrictions
on use : For industrial use only.**1.3 Details of the supplier of the safety data sheet**

Company : H.B. Fuller, Isar-Rakoll, S.A.

Address : Estrada Nacional 13
PT-4486-851 Mindelo - Vila do Conde
+351 229 288 200E-mail address of person
responsible for the SDS : EU-MSDS@hbfuller.com**1.4 Emergency telephone number**Emergency telephone number : In case of poisoning:
GBK-EMTEL International
Tel.(24h):+49(0)6132/84463 (all languages)In case of transport accidents:
Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 /
GBK)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

Additional Labelling

EUH210	Safety data sheet available on request.
EUH208	Contains methylenediphenyl diisocyanate, Hexamethylene diisocyanate, oligomers, 1,5-Diisocyanatopentane homopolymer, 2-ethyl-1-hexanol-blocked. May produce an allergic reaction.
EUH204	Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients
3.2 Mixtures
Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Hexamethylene diisocyanate, oligomers	28182-81-2 931-274-8 01-2119485796-17-0000	Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Acute Tox. 4; H332 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 1,5 mg/l	>= 0,1 - < 1
1,5-Diisocyanatopentane homopolymer, 2-ethyl-1-hexanol-blocked	1976005-08-9	Acute Tox. 4; H332 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 0,1 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

		STOT SE 3; H335 (Respiratory system)	
titanium dioxide	13463-67-7 236-675-5 01-2119489379-17-0000	Carc. 2; H351	$\geq 0,1 - < 1$
methylenediphenyl diisocyanate	26447-40-5 247-714-0 615-005-00-9 01-2120770510-62-0000	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	$< 0,1$
		specific concentration limit Eye Irrit. 2; H319 $\geq 5 \%$ STOT SE 3; H335 $\geq 5 \%$ Skin Irrit. 2; H315 $\geq 5 \%$ Resp. Sens. 1; H334 $\geq 0,1 \%$	
		Acute toxicity estimate Acute inhalation toxicity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures

- General advice : Show this safety data sheet to the doctor in attendance.
The molten product can cause serious burns.
- If inhaled : In case of unconsciousness bring patient into stable side position for transport.
Remove person to fresh air. If signs/symptoms continue, get medical attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

- In case of skin contact : Cool skin rapidly with cold water after contact with molten material.
Do not peel solidified product off the skin.
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
Protect unharmed eye.
- If swallowed : Do NOT induce vomiting.
If accidentally swallowed obtain immediate medical attention.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Use mineral oil to soften and loosen product for removal.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water mist
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : May release toxic, irritating and/or corrosive gases.
In case of fire, the following substance(s) may occur:
Nitrogen oxides

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Use breathing protection against the effects of fumes/dust/aerosol.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Ensure adequate ventilation.
Allow to solidify, use mechanical handling equipment.
Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Ensure that suitable extractors are available on processing machines.
Avoid breathing vapors/fumes of heated product. Prevent contact with molten product.
Keep eye wash bottle available on working place.
Avoid release to the environment.
Keep out of reach of children.

Use only with adequate ventilation.

Advice on protection against fire and explosion : In the event of fire and/or explosion do not breathe fumes.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Protect against light. Keep tightly closed in a dry and cool place.

Advice on common storage : Never allow product to get in contact with water during storage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium sulfate	7778-18-9	OELV - 8 hrs (TWA)	10 mg/m ³	IE OEL
Hexamethylene diisocyanate, oligomers	28182-81-2	OELV - 8 hrs (TWA)	0,02 mg/m ³ (NCO)	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			
		OELV - 15 min (STEL)	0,07 mg/m ³ (NCO)	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			
titanium dioxide	13463-67-7	OELV - 8 hrs (TWA) (Respirable dust)	4 mg/m ³	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m ³	IE OEL
methylenediphenyl diisocyanate	26447-40-5	OELV - 8 hrs (TWA)	0,02 mg/m ³ (As -NCO)	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			
		OELV - 15 min (STEL)	0,07 mg/m ³ (As -NCO)	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			
		OELV - 8 hrs (TWA)	0,005 ppm (NCO)	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium sulfate	Workers	Inhalation	Systemic, long-term	21,17 mg/m ³
	Workers	Eye contact	Local effects	
	Workers	Inhalation	Systemic, short-term	
methylenediphenyl diisocyanate	Workers	Dermal	Acute systemic effects	50 mg/kg
	Workers	Inhalation	Acute systemic effects	0,1 mg/m ³
	Workers	Dermal	Local effects	28,7 mg/cm ²
	Workers	Inhalation	Local effects	0,1 mg/m ³
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m ³
	Workers	Inhalation	Local effects	0,05 mg/m ³
Hexamethylene diisocyanate, oligomers	Workers	Eye contact	Local effects	
	Workers	Inhalation	Local, long-term	0,5 mg/m ³
	Workers	Inhalation	Local, short-term	1 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium sulfate	Sewage treatment plant	100 mg/l
methylenediphenyl diisocyanate	Fresh water	> 1 mg/l
	Marine water	> 0,1 mg/l
	Soil	> 1 mg/kg
	Sewage treatment plant	> 1 mg/l

8.2 Exposure controls
Engineering measures

At the application temperature, use of local exhaust over the premelting reservoir is encouraged. Please take care on national and local requirements.

Personal protective equipment

Eye protection : Safety glasses or equipment with better protection

Hand protection
Material : Protective gloves

Remarks : When handling hot material, use heat resistant gloves. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Skin and body protection : Protective clothing

Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recom-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

mended exposure guidelines.
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Filter type : Combined particulates and organic vapour type or equipment with better protection (A-P)

Protective measures : Keep away from food, drink and animal feedingstuffs.
Instantly remove any soiled and impregnated garments.
Wash hands before breaks and immediately after handling the product.
Avoid contact with the eyes and skin.
Avoid skin contact with the liquefied material.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state : solid

Colour : white

Odour : characteristic

Odour Threshold : no data available

Melting point/freezing point : is not determined

Boiling point/boiling range : is not determined

Flammability : Not classified as a flammability hazard

Upper explosion limit / Upper flammability limit : no data available

Lower explosion limit / Lower flammability limit : no data available

Flash point : > 200 °C

Auto-ignition temperature : not self-igniting

Decomposition temperature : No decomposition if used as directed.

pH : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

Viscosity
Viscosity, dynamic : Not applicable at ambient temperature

Viscosity, kinematic : Not applicable at ambient temperature

Solubility(ies)
Water solubility : insoluble

Partition coefficient: n-
octanol/water : no data available

Vapour pressure : Not applicable

Density : 1,20 g/cm³

Relative vapour density : no data available

9.2 Other information

Explosives : Not explosive

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity**10.1 Reactivity**

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No further relevant information available.

10.5 Incompatible materials

Materials to avoid : Humid air

10.6 Hazardous decomposition products

In case of incomplete combustion an increased formation of oxides of nitrogen (NO_x) is to be expected.

Thermal decomposition can lead to release of irritating gases and vapours.

Stable under recommended storage conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

Components:**Hexamethylene diisocyanate, oligomers:**

Acute inhalation toxicity : Acute toxicity estimate: 1,5 mg/l
Test atmosphere: dust/mist
Method: Expert judgement

methylenediphenyl diisocyanate:

Acute inhalation toxicity : Acute toxicity estimate: 1,5 mg/l
Test atmosphere: dust/mist
Method: Calculation method

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation**Skin sensitisation**

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**titanium dioxide:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties****Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information**12.1 Toxicity**

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential**Components:****methylenediphenyl diisocyanate:**

Partition coefficient: n-octanol/water : log Pow: 4,5

12.4 Mobility in soil**Product:**

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : Do not dispose of with domestic refuse.
Do not dispose of waste into sewer.
The generation of waste should be avoided or minimized wherever possible.
Hand over to disposers of hazardous waste.
Reacted/ dried residues can be disposed with the industrial waste.
Incinerate under controlled conditions in accordance with all local and national laws and regulations.

These EU waste code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances (according GHS) listed under section 3 of this safety datasheet is itself classified as dangerous (*).

Waste accruing during application:

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Waste accruing during cleaning:

08 04 11* adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11

Waste packaging:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 04	metallic packaging
15 01 10*	packaging containing residues of or contaminated by dangerous substances.

Contaminated packaging : Disposal must be made according to official regulations.

SECTION 14: Transport information**14.1 UN number or ID number**

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (SVHC, Article 59) : Compliant

Regulation (EU) No 2024/590 on substances that de- : Compliant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Compliant

RoHS: 2011/65/EU, Restriction of Hazardous Substances : Compliant

Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors : Neither banned nor restricted

REACH - List of substances subject to authorisation (Annex XIV) : Compliant

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Not applicable**Other regulations:**

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information**Full text of H-Statements**

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficul-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

H335 : ties if inhaled.
H351 : May cause respiratory irritation.
H373 : Suspected of causing cancer.
H373 : May cause damage to organs through prolonged or repeated exposure.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Carc. : Carcinogenicity
Eye Irrit. : Eye irritation
Resp. Sens. : Respiratory sensitisation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
STOT SE : Specific target organ toxicity - single exposure
IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL) : Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Rakoll® 5125

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2025
2.0	01.04.2025	100000032752	Date of first issue: 11.10.2024
	Print Date:		
	27.10.2025		

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Modified data compared to the previous version

The following sections have been updated:

- Section 1
- Section 16

Contact Point : Prepared by: Global Regulatory Department
EU-MSDS@hbfuller.com

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN